

Product number:

ST01-CF01-0050 (50 mL)

ST01-CF01-1000 (1000 mL)

ST01-CF01-2000 (2000 mL)

Intended use:

StabilBlock® Immunoassay Stabilizer-CMIT/MIT effectively preserves the conformation and activity of dried proteins while simultaneously blocking the surface to reduce non-specific binding. It can be used to stabilize antibodies, antigens or enzymes on an assortment of immunoassay components: polystyrene plates, tubes, glass, membranes, and filter paper. The key benefits are reduction of non-specific binding while increasing signal-to-noise ratios within immunoassay applications.

The non-specific binding of serum proteins, conjugates and other assay components to solid surfaces in immunoassay applications requires that a blocking step be incorporated into the protocol to maximize assay sensitivity. Additionally, the manufacturing of immunoassays test kits requires long term protein stability to increase the manufacturing scale and extended shelf lives for the end user. The StabilBlock formulation allows for these requirements to be accomplished in a single step while easily being substituted for the blocking solution in an existing assay protocol.

Product stability, storage and specifications:

Product stability	3 years from date of manufacture
Storage	Product should be stored at 2-8°C or room temperature
Specification	Bovine Protein: None Product Buffer: MOPS pH: 6.5-7.5 Preservative: 0.00144% CMIT/MIT
Notes	Please note that SurModics stabilization products are shipped to customers at ambient temperature. Extensive stability studies have shown that prolonged storage at ambient temperature will not affect the product quality or efficacy.

Recommendations for use:

Aseptically pour off the desired volumes of material needed for the application and allow the product to equilibrate at room temperature prior to use.

The following are general guidelines only.

To Stabilize Adsorbed or Immobilized Proteins on Microtiter Plates/Strips:

- 1) Immobilize or adsorb the primary protein (antibody or antigen) to the plate surface according to an optimized method.
- 2) Wash the plate to remove excess or weakly bound proteins.
- 3) Add StabilBlock to allow interaction with the entire protein-coated surface.
 - For example: 150 µL of StabilBlock per microwell should be used if 100 µL of primary protein solution was used to coat the microwell.
 - StabilBlock should be applied to the microwells before the immobilized protein dries on the plate. This will maximize the activity of the protein.
- 4) Incubate for 5 to 30 minutes at room temperature.
- 5) Aspirate the excess StabilBlock from the microwells.

- 6) Dry components for long-term storage using a method that is optimized by the end user. Recommended methods are as follows:
 - Dry in a humidity controlled chamber (less than 15% humidity) until dry (4 to 24 hours).
 - Dry 2-4 hours in a sealed desiccated container.
 - Dry plates at 30-40°C in a vacuum oven for 4 hours.
- 7) Package the stabilized coated plate in an airtight container/pouch with a desiccant.

Related products:

Blockers/Stabilizers:
StabilCoat® Immunoassay Stabilizer (SC01)
StabilGuard® Immunoassay Stabilizer BSA-Free (SG01)
In-Solution Protein Stabilizers & Diluents:
StabilZyme® Protein Free Stabilizer (SZPF)
StabilZyme® Protein Free AP Stabilizer (SAPF)
StabilZyme® AP Conjugate Stabilizer (SA01)
StabilZyme® HRP Conjugate Stabilizer (SZ02)
StabilZyme <i>SELECT</i> ® Stabilizer (SZ03)
StabilZyme® <i>NOBLE</i> Stabilizer (SZ04)
Assay Diluent-HAMA Blocker (SM01)
Substrates:
BioFX® TMB One Component HRP Microwell Substrate (TMBW)
BioFX® TMB Supersensitive One Component HRP Microwell Substrate (TMBS)
BioFX® TMB Slow Kinetic One Component HRP Microwell Substrate (TMSK)
BioFX® TMB Enhanced HRP Membrane Substrate (ESPM)
BioFX® TMB One Component HRP Membrane Substrate (TMBM)
BioFX® pNPP Yellow One Component Microwell Substrate with Stabilizing Pellets (PNPS)
BioFX® ABTS One Component HRP Microwell Substrate (ABTS)

Products distributed by


DIARECT AG
 Bötzing Str. 29 B
 79111 Freiburg
 Germany

 Tel. +49 761 47979-0
 Fax +49 761 47979-29
www.diarect.com
orders@diarect.com
info@diarect.com

These products are for research and/or further manufacture and are not intended for use in humans or therapeutic purposes. Sales are without any seller's warranty or representation, expressed or implied, by usage or otherwise; no claims beyond replacement of unacceptable material or refund of purchase price shall be allowed. All claims must be made according to DIARECT's Terms and Conditions of Sale